

CLAIMS

1. A single unit system, comprising:
- an enclosure having a power supply port disposed on outside of the enclosure;
 - a computer system configured and arranged in the enclosure; and
 - a handle and at least one wheel to transport the system by pulling the handle, wherein the handle is extendable from the enclosure and retractable into the enclosure.
2. The system of claim 1, wherein the computer system comprises a plurality of personal computer components including a CPU, memory, an input device, and an output device, a printing module, a scanning module, and a video cam.
3. A compact, self-contained, portable personal computer (PC) system, comprising:
- a system enclosure having a plurality of computer components contained therein, the computer components including a CPU and a memory, and a power supply port disposed on one side of the system enclosure;
 - a scanning module, disposed in the system enclosure and electrically coupled to the computer components and the power supply port inside the system enclosure, to scan a document placed in the system enclosure;
 - a printing module, disposed in the system enclosure and electrically coupled to the computer components and the power supply port inside the system enclosure, to print a document controlled by the computer components;
 - a flat screen display module, disposed on top of the system enclosure and electrically coupled to the computer components and the power supply port inside the

system enclosure, to display a personal computer application, the flat screen display being rotatably coupled to the system enclosure allowing the flat screen display to be viewable in an open position and to rest on the top of the system enclosure in a closed position; and

a first handle and at least one wheel to transport the system by pulling the first handle, wherein the first handle is extendable from the system enclosure and retractable into the system enclosure.

4. The system of claim 3, further comprising a tray disposed at bottom of the system enclosure and an input device stored inside the tray when the input device is not in use, wherein the tray includes a docking station port for communicating with a second computer system.

5. The system of claim 4, wherein the input device is an infrared keyboard operatively associated with the computer components in such a manner that an input from the keyboard is stored in the memory and displayable on the flat screen display.

6. The system of claim 4, wherein the input device is an infrared mouse operatively associated with the computer components in such a manner that an input from the infrared mouse is stored in the memory and displayable on the flat screen display.

7. The system of claim 3, wherein the system enclosure includes a document feed-in slot and a document exit slot disposed on opposite sides of the system enclosure, respectively, such that the scanning module scans the document fed into the document feed-in slot and outputs the document at the document exit slot.

8. The system of claim 3, further comprising a video cam, disposed on the flat screen display, to record a view around the system.

9. The system of claim 3, further comprising a case to house the system, wherein the case includes a first opening for accessing the first handle.

10. The system of claim 9, further comprising a second handle for carrying/lifting the system.

00041267 00004
100000 29041000